

**To:** Shamet, Stefania[Shamet.Stefania@epa.gov]  
**From:** Burrell, Collin (DDOE)  
**Sent:** Wed 11/12/2014 10:45:49 PM  
**Subject:** RE: EPA response to Washington Aqueduct request for anticipated bypass

.....  
>>>>>>>>  
I am in receipt of the EPA response letter to Washington Aqueduct request for anticipated bypass.

Thanks

Collin

**Collin R. Burrell**

Associate Director for Water Quality Division

District Department of the Environment

Natural Resources Administration

1200 First Street, NE, 6th Floor


Washington, DC 20002

Phone: 202-535-2255

Fax: 202-535-1363

email: [collin.burrell@dc.gov](mailto:collin.burrell@dc.gov)

<http://ddoe.dc.gov>



Nominate an exemplary DC Government Employee for The 14th Annual Cafritz Awards. Each of this year's five winners will be recognized with a \$7,500 cash prize! The nomination deadline is Monday, November 24. Visit [www.cafritzawards.org](http://www.cafritzawards.org) for more information.

**From:** Shamet, Stefania [mailto:Shamet.Stefania@epa.gov]  
**Sent:** Monday, November 10, 2014 2:06 PM

**To:** Burrell, Collin (DDOE)

**Subject:** FW: EPA response to Washington Aqueduct request for anticipated bypass

**From:** Shamet, Stefania

**Sent:** Monday, November 10, 2014 1:51 PM

**To:** 'Collin.burrell@dc.gov'

**Cc:** 'mary.searing@dc.gov'

**Subject:** EPA response to Washington Aqueduct request for anticipated bypass

Attached please find EPA's response to a recent request from the Washington Aqueduct for approval of an anticipated bypass pursuant to NPDES Permit No. DC0000019, Part III, Section B, Paragraph 2 and 40 C.F.R. 122.41(m). Please feel free to contact me if you have any questions. A hard copy will follow.

Sincerely,

Stefania D. Shamet

Senior Assistant Regional Counsel

USEPA Region III